

PLUS

U6-112

1800  
ANSI LUMENS**DLP Multimedia Projector**

- Resolution: 800 x 600
- Contrast Ratio: 2000:1
- Aspect Ratio: 4:3, Supports 16:9
- Multi System, Multi Voltage
- Digital Keystone Correction (vertical: +/- 40 degrees)

#PLU6112 ..... \$469.00

Optoma

EZ Pro 707

2000  
ANSI LUMENS**DLP Multimedia Projector**

- Resolution: 800 x 600
- Contrast Ratio: 2000:1
- Aspect Ratio: 4:3, 5:4 and 16:9 compatible
- Multi Voltage/System
- Digital Keystone Correction
- Weight: 4.5 lbs

#OPEP707 ..... \$499.00

InFocus® IN24+

2400  
ANSI LUMENS**DLP Multimedia Projector**

- 1700 ANSI Lumens
- Native Res: 800 x 600
- Contrast Ratio: 2000:1
- NTSC, PAL, SECAM
- 3.98" x 9.45" x 11.97"
- 5.95 lbs.

#ININ24P ..... \$629.95

EPSON® PowerLite S5

2000  
ANSI LUMENS**LCD Multimedia Projector**

- Resolution: 800 x 600
- Contrast Ratio: 400:1
- Aspect Ratio: 4:3 native, Supports 16:9
- Speaker: 1 W Monaural
- Multi Voltage, Multi System
- Keystone Correction: Vertical ±30 degrees

#EPPLS5 ..... \$549.95

SHARP® XR-30X, XR-40X

2300  
ANSI LUMENS**DLP Multimedia Projectors**

- Resolution: 1024 x 768
- Contrast Ratio: 2200:1
- Aspect: 4:3 Native
- Audio System: 2 Watt monaural
- Multi Voltage, Multi System

#SHXR30X ..... \$699.95

**XR-40X:** 2600 ANSI Lumens

#SHXR40X ..... \$799.95

SONY VPL-ES4

2200  
ANSI LUMENS**LCD Multimedia Projector**

- Resolution: 800 x 600
- Contrast Ratio: 300:1
- Aspect Ratio: 4:3
- Speaker : Mono 1W
- Multi Color System, Multi Voltage
- Vertical Keystone Correction

#SOVPLES4 ..... \$669.00

SHARP® PGF211X, PGF261X, PGMB66X

2300  
ANSI LUMENS**DLP Multimedia Projectors**

- Resolution: 1024 x 768
- Contrast Ratio: 2200:1
- Aspect Ratio: 4:3
- Speaker 2W

#SHPGF211X ..... \$799.95

**PGF261X:** 2600 Lumens

#SHPGF261X ..... \$899.95

**PGMB66X:** 3000 Lumens

#SHPGMB66X ..... \$1,199.95

SANYO PLC-XU74

2500  
ANSI LUMENS**LCD Multimedia Projector**

- 2500 ANSI Lumens
- Resolution: 1024 x 768
- USB Type B
- Progressive, 3-2 Pull Down
- Aspect Ratio 4:3 • 100-240V
- PAL, SECAM, NTSC4.43, PAL M, PAL N

#SAPLCXU74 ..... \$799.95

EPSON® PowerLite 77c

2200  
ANSI LUMENS**LCD Multimedia Projector**

- Resolution: 1024 x 766
- Contrast Ratio: 400:1
- Aspect Ratio: 4:3 native, Supports 16:9
- Multi Color System, Multi Voltage
- Vertical Keystone Correction
- Connectivity: VGA: D-sub 15-pin, Component S-Video, RS-232C, USB Type B

#EPPL77C ..... \$729.00

InFocus® IN26+

2400  
ANSI LUMENS**DLP Multimedia Projector**

- Resolution: 1024 x 766
- Contrast Ratio: 2000:1
- Aspect Ratio: 4:3 native, Supports 16:9
- Multi Color System, Multi Voltage
- Speaker: 1W Mono
- Connectivity: VGA: D-sub 15-pin, Component S-Video, RS-232C, USB Type B

#ININ26P ..... \$769.95

HITACHI CP-X253, CP-X260

2000  
ANSI LUMENS**LCD Multimedia Projector**

- 2000 ANSI Lumens
- Resolution: 1024 x 768
- Contrast: 500:1
- Aspect Ratio: 4:3, 16:9 Compatible
- Digital Keystone Correction: ±15° vertical

#HICPX253 ..... \$719.00

**CP-X260:** 2500 ANSI Lumens

#HICPX260 ..... \$839.95

Optoma

EZ Pro 708, EZ Pro 719

2000  
ANSI LUMENS**DLP Multimedia Projector**

- 2000 ANSI Lumens
- Resolution: 1024 x 768
- Contrast ratio 2500:1
- NTSC, PAL, SECAM SDTV (480i), EDTV (480p), HDTV (720p, 1080i)
- Aspect Ratio(s): 4:3; Supports 16:9

#OPEP708 ..... \$649.95

**EZ Pro 719:** 2200 ANSI Lumens

#OPEP719 ..... \$799.95

InFocus® IN32, IN34

2500  
ANSI LUMENS**Multimedia Projector**

- 2000 ANSI Lumens
- Resolution: 1024 x 768
- Contrast: 1000:1
- Aspect Ratio: 4:3, 16:9 Supported
- NTSC, PAL, SECAM
- 100-240 V
- 2.9 x 8.6 x 10.4 in. • Weight: 5.2 Lbs.

#ININ32 ..... \$819.95

**IN34:** 2500 ANSI Lumens

#ININ34 ..... \$899.95

Canon LV-7260, LV-7265

2000  
ANSI LUMENS**Ultra-Portable Projectors**

- Native Resolution: 1024x768
- Contrast Ratio: 600:1
- Digital Keystone: ±30 degrees (Manual)
- Multi-Color System, Multi Voltage

#CALV7260 ..... \$769.95

**IN34:** 2500 AnSi Lumens

#CALV7265 ..... \$899.95

## ASK Proxima M1



**1000**  
ANSI LUMENS

### LCD Multimedia Projectors

- Resolution: 1024x768
- Contrast Ratio: 2000:1
- Aspect Ratio: 4:3
- Multi-Color System, Multi Voltage
- Vertical Keystone Correction  $\pm 7.5^\circ$
- Connectivity: Computer (M1-D/A), S-Video, audio (3.5 mm mini jack)

#ASM1 ..... \$1,099.95

## SONY VPL-CS21, VPL-CX21



**2100**  
ANSI LUMENS

### LCD Multimedia Projector

- 2100 ANSI Lumens
- Resolution: 800 x 600
- Aspect Ratio: 4:3
- Keystone Correction
- Ceiling Mountable
- Rear Screen Projection
- Weight: 4.2 lbs.
- Dimensions: 2.1 x 10.8 x 8.4

#SOVPLCS21 ..... \$829.95

**PL-CX21:** 2100 Lumens, 1024 x 768 Resolution  
#SOVPLCX21 ..... \$999.95

## CASIO XJ-S30, XJ-S35



**2000**  
ANSI LUMENS

### DLP Multimedia Projectors

- 2000 ANSI Lumens
- Resolution: 1024 x 768
- Contrast Ratio 1800:1
- Aspect Ratio 4:3 native
- Digital Vertical Keystone Correction Auto:  $+30^\circ$
- Power: 100-240V AC; 50/60Hz
- Dimensions: 10.75 x 8.3 x 1.12"
- Weight: 3.9 lbs.

#CAXJS30 ..... \$899.00

**XJ-S35:** USB Port for: • USB Wireless Adapter YW-2S • CASIO digital cameras (supported models only) • USB memory • Multifunctional Camera YC-400 #CAXJS35 ..... \$1,199.00

## SONY VPL-CX76, VPL-CX86



**2500**  
ANSI LUMENS

### LCD Multimedia Projectors

- 2500 ANSI Lumens
- Resolution: 1024 x 768
- Aspect Ratio: 4:3 Full Screen, 16:9 Wide Mode
- 100-240V, 50/60Hz
- NTSC, PAL, SECAM, NTSC 4.43, PAL-M, PAL-N, PAL-60

#SOVPLCX76 ..... \$1,549.95

**VPL-CX86:** • 3000 ANSI Lumens • Wireless LAN Card Slot • Memory Stick Slot • 8 lb. 6 oz.  
#SOVPLCX86 ..... \$1999.95

## SONY VPL-CX61, VPL-CX125



**2500**  
ANSI LUMENS

### LCD Multimedia Projector

- 2500 ANSI Lumens
- Resolution: 1024 x 768
- Aspect Ratio: 4:3
- Digital Keystone Correction
- 2 RGB inputs, monitor out, audio out
- Power: AC 100 to 240V, 50/60Hz • 8.2 lb (3.7kg)

#SOVPLCX61 ..... \$1,299.95

**VPL-CX125:** 3000 ANSI Lumens  
#SOVPLCX125 ..... \$1,699.00

## EPSON PowerLite 1700c, PowerLite 1705c



**2200**  
ANSI LUMENS

Free shipping

### LCD Multimedia Projectors

- 2200 ANSI Lumens
- Resolution: 1024 x 768
- Contrast Ratio: 400:1
- Power: 100-240VAC
- Dimensions: 10.7" x 7.6" x 3.1"
- Weight: 3.5lb

#EPPL1700C ..... \$1,039.95

**PowerLite 1705c:** 802.11 wireless control  
#EPPL1705C ..... \$1,199.95

## Optoma EZ Pro 771



**3000**  
ANSI LUMENS

### DLP Multimedia Projector

- Resolution: 1024 x 768
- Contrast 2300:1
- Aspect Ratio Native 4:3, 16:9 Compatible
- Multi-Color System, Multi Voltage
- Vertical Keystone Correction  $\pm 15$  degrees

#OPEP771 ..... \$1,249.95

## EPSON PowerLite 83c



**2200**  
ANSI LUMENS

### LCD Multimedia Projectors

- Resolution: 1024 x 768
- Contrast Ratio: 400:1
- Aspect Ratio: 4:3
- Multi-Color System, Multi Voltage
- Speaker: 7W mono
- Vertical Keystone Correction  $\pm 30$  degrees

#EPPL83C ..... \$859.95

## SANYO PLC-XU48



**3000**  
ANSI LUMENS

### LCD Multimedia Projector

- 3000 ANSI Lumens
- Native Resolution: 1024 x 768
- Contrast Ratio 450:1
- Aspect Ratio 4:3
- Correction Vertical  $\pm 20^\circ$
- USB Type B
- Built-in Speaker 1.0 watt mono
- NTSC/ PAL-N-M / SECAM
- Lens Shift Up/Down Ratio 9:1

#SAPLCXU48 ..... \$1,049.95

## Panasonic PT-LB51U, PT-LB51NTU



**2000**  
ANSI LUMENS

### LCD Multimedia Projector

Resolution: 1,024 x 768)

Contrast: 400:1

Aspect Ratio: 4:3

Speaker: 1 Mono

#PAPTLB51U ..... \$799.95

**PT-LB51NTU:** Wireless LAN  
#PAPTLB51NTU ..... \$999.95

## Optoma EZ Pro 773



**3500**  
ANSI LUMENS

### XGA DLP Multimedia Projectors

- Resolution: 1024 x 768
- Contrast 2200:1
- Aspect Ratio Native 4:3, 16:9 Compatible
- Multi Color System, Multi Voltage
- Vertical Keystone Correction  $\pm 16$  degrees
- Connectivity: DVI-D w/HDCP, VGA, composite, S-video, RS232

#OPEP773 ..... \$1,699.95

## InFocus LP-120



**1100**  
ANSI LUMENS

### Mobile Projector

- 0.7" DLP XGA DMD DDR
- XGA 1024 x 768 Resolution
- Zoom lens w/ manual focus & manual zoom adjust
- Inputs: S-Video, RCA, Mini • USB Control
- Contrast Ratio 2000 : 1
- Keystone Correction;  $\pm 7.5^\circ$  V • NTSC, PAL, SECAM
- Dimensions 9.8 x 5.2 x 9.4" • Weight 2 lbs.

#INLP120 ..... \$1,169.95

## TOSHIBA TDP-T45U



**2500**  
ANSI LUMENS

### DLP Multimedia Projector

- Brightness: 2500 ANSI Lumens
- Resolution: 1024 x 768
- Contrast: 2000:1
- Aspect Ratio: 4:3
- Multi-Video System Support
- Multi Voltage
- Weight: 6.6 lb (3 kg)

#TOTDPT45U ..... \$1,199.00

## EPSON PowerLite 1710c, PowerLite 1715c



**2700**  
ANSI LUMENS

### LCD Multimedia Projectors

- 2700 ANSI Lumens
- Native Resolution: 1024 x 768
- Contrast Ratio: 400:1
- Power: 100-240VAC
- Dimensions: 10.7 x 7.6 x 3.1" • Weight 3.5 lbs

#EPPL1710C ..... \$1,459.95

**PowerLite 1715C:** 802.11 a/b/g wireless module included #EPPL1715C ..... \$1,649.95

Free shipping

**SANYO**

PLC-XU101, PLC-XU110

**4000**  
ANSI LUMENS**LCD Multimedia Projectors**

- 4000 ANSI Lumens • Resolution: 1024 x 768
- Contrast: 400:1 • Aspect Ratio: 4: 3
- DVI-I and D-Sub Computer Inputs
- Auto Vertical Keystone Correction • Multi-Color System / Multi Voltage • Weight: 7.5 lb (3.40 kg)

#SAPLCXU101 ..... **\$1,594.95****PLC-XU110:** Wireless LAN Capability#SAPLCXU110 ..... **\$1,849.95****Panasonic**

PT-F100U, PT-F100NTU

**3200**  
ANSI LUMENS**LCD Multimedia Projector**

- Native Res: 1024 x 768
- Contrast Ratio: 400:1
- Aspect Ratio: 4:3, Supports 16:9
- ARF Dust Filtration System • Built-in Speaker

#PAPTF100U ..... **\$1,995.95****PT-F100NTU:** Wireless Networking#PAPTF100NTU ..... **\$2,189.95****Panasonic**

PT-D4000U, PT-D5700U

**4000**  
ANSI LUMENS**DLP Multimedia Projector**

- Resolution: 1024 x 768 • Contrast Ratio: 1600:1
- Aspect Ratio: 4:3 • Multi-Color System / Voltage
- USB Type B • Digital Keystone Correction
- Connectivity: DVI-D, RS-232C, RJ-45

#PAPTD4000U ..... **\$3,199.95****PT-D5700U:** 6000 ANSI Lumens#PAPTD5700U ..... **\$5,499.95****Canon**

Realis SX60

**2500**  
ANSI LUMENS**LCOS Projector**

- 2500 ANSI Lumens
- Resolution: 1400 x 1050/23
- Contrast Ratio 1000:1
- S-Video, Composite, VGA, DVI-I, Audio, USB
- ±20 degrees Vertical & Horizontal Adjustment
- Weight: 10.1lbs (4.6kg)

#CARSX60 ..... **\$3,399.95****HITACHI**

CPX605

**4000**  
ANSI LUMENS**Multimedia Projector**

- 4000 ANSI Lumens • Contrast Ratio: 1000:1
- Native Resolution: 1024 x 768
- Aspect Ratio: 4:3
- Keystone Correction
- Ceiling Mountable
- Dimensions: 16.5 x 5.5 x 12.6" • 15.6 lb (7.1 kg)

#HICPX605 ..... **\$3,699.95****Canon**

Realis SX6

**3500**  
ANSI LUMENS**LCOS Projector**

- 3500 ANSI Lumens • Resolution: 1400 x 1050
- Contrast: 1000:1 • Aspect Ratio: 4:3
- Digital Zoom • Throw Dist (feet) : 6.6 - 17.7
- Multi-Format / Voltage • Component, S-video, Composite, VGA, DVI-I, USB Inputs
- H/V Digital Keystone Correction • 10.4 lbs (3.9 kg)

#CARSX6 ..... **\$4,299.95****SONY**

VPL-FX52

**LCD Multimedia Projector**

- 6000 ANSI Lumens • Resolution: 1024 x 768
- Contrast Ratio: 1000:1 • Aspect Ratio: 4:3
- Throw Dist (feet): 9.1 - 38.4
- Multi-Color System / Voltage
- I/O: Component, PC, Ethernet, RS232
- Weight 23.25 lbs (10.5 kg)

#SOVPLFX52 ..... **\$6,699.95****EPSON**

PowerLite 830p, PowerLite 1815p

**3000**  
ANSI LUMENSFree  
shipping**LCD Multimedia Projectors**

- 3000 ANSI Lumens • Native Res: 1024 x 768
- Contrast Ratio: 600:1 • 5W Speaker
- Aspect Ratio: 4:3, Supports 16:9
- Serial/RS232C D-sub 9 pin x1 • USB Type B x1
- Keystone Correction Vert: ±45°, Horiz: ±25°

#EPPL830P ..... **\$2,549.95****1815p:** • PCMCIA Slot • Wired & WirelessNetworking • #EPPL1815P ..... **\$2,649.95****InFocus**

IN42 Work Big XGA

**3500**  
ANSI LUMENS**LCD Multimedia Projector**

- 3500 ANSI Lumens
- Resolution: 1024 x 768
- 1000:1 Contrast Ratio
- Aspect Ratio: 4:3, Supports 16:9, 5:4
- Digital Keystone Correction: ±40° vert., ±20° hor.
- Dimensions: 5.3 x 12.6 x 16.5 in., 13.2 lb (6.0 kg)

#ININ42 ..... **\$2,299.95****SANYO**

PLC-XT20, PLC-XT25

**3800**  
ANSI LUMENS**Multimedia Projector**

- 3800 ANSI Lumens • Resolution: 1024 x 768
- Contrast Ratio: 1000:1 • Aspect Ratio: 4:3
- Multi-Color System / Voltage • USB Type B
- Throw Distance 3.9'-32.8' • Powered Zoom
- Digital Keystone Correction • Wt: 19.2 lb (8.71 kg)

#SAPLCXT20 ..... **\$2,949.95****PLC-XT25:** 4500 ANSI Lumens#SAPLCXT25 ..... **\$3,349.95****Optoma**

EZ Pro 910

**3500**  
ANSI LUMENS**DLP Multimedia Projector**

- 3500 ANSI Lumens • Resolution: 1400 x 1050
- Contrast Ratio: 3000:1 • 4:3 native, 16:9 compatible
- Multi-Color System / Voltage
- Projection Distance: 3.9' – 39.3'
- Image Size: 24.4- 300.0 in • DVI, VGA, Component
- USB Ethernet I/O • 10 lb (4.5 kg)

#OPEP910 ..... **\$2,779.95****SANYO**

PLC-XP57L

**5500**  
ANSI LUMENS**LCD Multimedia Projector**

- 5500 ANSI Lumens • Native Res: 1024 x 768
- Aspect Ratio: 4:3 • Contrast Ratio: 1000:1
- Keystone Correction
- Network Control with PJ-Net Organizer Plus II
- Digital Visual Interface (DVI-D w/HDCP)
- 17.4 lb (7.9kg) • Lens Not Included (#SALNSS30)

#SAPLCXP57L ..... **\$4,389.95****Canon**

LV-7575

**5500**  
ANSI LUMENS**LCD Multimedia Projector**

- 5500 ANSI Lumens
- Resolution: 1024 x 768
- Contrast: 800:1
- Inputs: Component, S-video, VGA, DVI, USB
- Network Capability
- Weight: 19.2lbs (8.7kg)

#CALV7575 ..... **\$5,099.95****SANYO**

PLC-XF46N

**LCD Multimedia Projector**

- 10,000 ANSI Lumens • Resolution: 1024 x 768
- Aspect Ratio: 4:3 Standard Mode
- Contrast Ratio 1300:1 • USB Support
- Progressive IC for 2-3 Pulldown
- HDTV Compatible • Dimensions: 22.9 x 9.9 x 30"
- Weight: 81.6 lb • Lens Sold Separately

#SAPLCXF46N ..... **\$13,499.00**



**HITACHI** StarBoard T-15XL, T17XLP**15" or 17" Electronic Whiteboards**

The functionality of our large-format electronic whiteboard in a convenient interactive LCD panel.

- Connect to your PC and a projector
- Lets you run and annotate any computer software application without losing eye contact with your audience.
- Visible even in darkened environments, can be projected up to any size
- LCD Display size: 15" or 17" • PC Interface: USB
- Res: XGA (1024 x 768) • Contrast : 200:1
- Graphic interface: RGB: D-sub 15 pin, DVI
- Stand incline range 15° - 72° • Pen type: Wireless, 2 buttons • Weight: 8 lbs • Shipping weight: 12lbs
- Shipping dimensions: 19" x 19" x 17"
- Digitizing technology: Electromagnetic

#HIST15XLP ..... \$1,795.00

**17" Version**

#HIST17XLP ..... \$1,995.00

**HITACHI** StarBoard BT-1 Freedom Tablet**Wireless Bluetooth Interface**

Communicates to the computer running the StarBoard Software through a wireless Bluetooth interface to annotate presentations and run computer applications. The Bluetooth receiver is a small device that plugs into any USB port on the computer.

Tablet dimensions 8" x 7" x 2"

- Working area 6" x 4.5" • Windows XP Ready
- Res. 500 lines per inch • Wt 1.04 lbs • USB 2.0

#HIBT2GSYS1 ..... \$349.95

**AccuScreens "Balance View" Screen Systems**

AccuScreen has developed their unique "Balance View" projection surface which maximizes color, contrast and brightness – and which delivers unmatched edge-to-edge sharpness. This easily-cleaned surface generates a true palette of colors which all viewers will appreciate. The screen is operated via a trouble-free spring roller system. This easy-to-use system is noise-free and is for those who prefer a simpler and less expensive option to the motorized version. Whether for home theater or professional use, AccuScreens will deliver the image you want at a price you can afford.

**16:9 Screens**

	Size	Manual	Electric
#ACMPS92MW	92"	<b>\$69.95</b>	-
#ACEPS92MW	92"	-	<b>\$259.95</b>
#ACMPS100MW	100"	<b>\$74.95</b>	-
#ACEPS100MW	100"	-	<b>\$279.95</b>
#ACMPS106MW	106"	<b>\$89.95</b>	-
#ACEPS106MW	106"	-	<b>\$319.95</b>
#ACMPS119MW	119"	<b>\$109.95</b>	-
#ACEPS119MW	119"	-	<b>\$349.95</b>

**4:3 Screens**

	Size	Manual	Electric
#ACMPS84MW	84"	<b>\$49.95</b>	-
#ACEPS84MW	84"	-	<b>\$239.95</b>
#ACMPS96MW	96"	<b>\$69.95</b>	-
#ACEPS96MW	96"	-	<b>\$289.95</b>
#ACMPS120MW	120"	<b>\$89.95</b>	-
#ACEPS120MW	120"	-	<b>\$319.95</b>

**DRAPER****Projection Screens****RoadWarrior Portable Screen**

- Lightweight; easy to carry, clean
- Extruded aluminum Screen Case
- Surface raises at the touch of a finger
- Surface designed for computer presentations and high-res. requirements
- Avail. in 60" & 80" diag. NTSC format
- 1-year Warranty

60" #DRRW3648MW ..... \$299.95

80" #DRRW4864MW ..... \$409.50

60" case #DRCPRW60 ..... \$86.50

80" case #DRCPRW80 ..... \$93.95

**Tripod Screens**

	Consul	Diplomat
50 x 50	<b>\$69.95</b>	<b>\$115.95</b>
50 x 66.5	-	<b>\$128.50</b>
60 x 60	<b>\$82.95</b>	<b>\$143.95</b>
70 x 70	<b>\$85.95</b>	<b>\$143.95</b>
60 x 80	-	<b>\$219.95</b>

**Wall/Ceiling Screens**

	Luma	Salara
50 x 50	<b>\$43.95</b>	<b>\$185.95</b>
60 x 60	<b>\$49.95</b>	<b>\$197.95</b>
70 x 70	<b>\$59.95</b>	-
60 x 80	-	<b>\$267.50</b>

\* Other surfaces available.

**INTERLINK ELECTRONICS** VP4300**Remotepoint Presenter**

A sleek ergonomic RemotePoint Navigator, polished metal, icon-studded control keys for Slide Forward, Slide Back and Slide Hide and Laser Pointer functions.

- 360-degree cursor control • Range up to 100' • 900 MHz
- Power 2 "AAA" Batteries • 32 MB portable memory storage
- Dim: 2.4 x 4.3 x 1.5" • 5 oz.

#INVP4300 ..... \$129.95

**INTERLINK ELECTRONICS** VP4150**2.4GHz RemotePoint Navigator**

Icon-studded control keys support Slide Forward, Slide Back, Slide Hide functions and a laser pointer. Installation: Just plug in the USB receiver and go. Navigator's 50' RF wireless range means that no matter where you're standing or which way you're facing in the room, your slides will advance on cue, every time.

#INVP4150 ..... \$79.95

**INTERLINK ELECTRONICS** VP-4810**RemotePoint RF Wireless Mouse**

Radio frequency remote control allows you to control PC-based presentations worry-free from up to 100 feet away. Comfortable, reliable and easy to use, Remote Point RF's radio frequency eliminates "line of sight" problems of IR remotes. The award-winning Remote Point RF is available by itself, or bundled with a wireless keyboard.

#INVP4810 ..... \$85.95

**Lab-21****Laptop Bag**

Ballistic Nylon & Nycore with water-repellent finish; Three layers of polyurethane inside. YKK coil silent action zippers Exterior Dimensions: 14.2 x 4.7 x 11.8"

#KALAB21 ..... \$98.00

**PKB-2****Presentation Bag**

2 main compartments for computer equipment. Square-frame tote bar and smooth-glide inline skate wheels shoulder strap or padded top handles. Interior Dimensions 17.3 x 3.4 x 13"

#PEPPKB2RB ..... \$129.95

**PREMIER MOUNTS** Projector and Monitor Mounts**Premier - PBL-UMS**

Universal projector mount for most projectors up to 25 lbs. Includes PBL upper assembly. Independently adjustable tilt, roll, and rotation. Ideal for ceilings. Color: Dark Gray

#PRPBLUMS ..... \$129.95

## 35mm Slide Projectors &amp; Viewers

**Braun****Novamat Monitor**

130 AF Projector Viewer w/85mm 2.8 Lens.....	<b>\$279.95</b>
E150 AF Projector Viewer w/85mm 2.8 Lens.....	<b>\$299.95</b>
330 AF Projector Viewer w/85mm 2.8 Lens.....	<b>\$299.95</b>

**Vivitar**

5000 AF Slide Projector .....	<b>\$199.95</b>
5000 Slide Tray .....	<b>\$14.95</b>

## 2-1/4 Projectors

**Kinderman**

6 x 6 Slide Tray .....	<b>\$15.95</b>
------------------------	----------------

## Projectors Accessories

**Gepe**

European Straight Trays 2 x 50 #GEST .....	<b>\$7.95</b>
--	---------------

**Yankee Rotary**

80 Slide Tray for Kodak #YASTR80 .....	<b>\$12.95</b>
--	----------------

**Kalt**

80 Slide Tray for Kodak #KAT80B .....	<b>\$14.95</b>
---------------------------------------	----------------

**FHS Lamp**

#GBFHS .....	<b>\$13.95</b>
--------------	----------------

**Da-Lite**

203 Project-o Stand .....	<b>\$139.95</b>	425 Project-o Stand .....	<b>\$163.95</b>
208 Accessory Shelf .....	<b>\$33.95</b>		
Piggy Back Stand for 2nd Projector .....	<b>\$41.95</b>		
GB Laser Pointer (5MW) Red .....	<b>\$24.95</b>		

## Loupes

**Kenko**

5x Achromatic .....	<b>\$89.95</b>	3x Precision .....	<b>\$139.95</b>
---------------------	----------------	--------------------	-----------------

**Horizon**

4X Linen Tester .....	<b>\$34.95</b>	8X 35mm slide .....	<b>\$43.95</b>
4X 21/4 slide .....	<b>\$42.95</b>		

**Peak**

1960 5X .....	<b>\$13.95</b>	1961 10X .....	<b>\$22.95</b>
1962 15X .....	<b>\$19.95</b>	1964 22X .....	<b>\$41.95</b>
1966 10X Lighted Loupe .....	<b>\$39.95</b>	1975S 7X Scale .....	<b>\$43.95</b>
1983S 10X Scale .....	<b>\$69.95</b>	1985 Pocket Steinhil 10X .....	<b>\$94.95</b>
1986 5X .....	<b>\$14.95</b>	1990 4X .....	<b>\$179.95</b>
1990 7X .....	<b>\$149.95</b>	1993 10X Suction .....	<b>\$32.95</b>
2016 15X Scale .....	<b>\$96.95</b>	2018 8X .....	<b>\$29.95</b>
2018 WPH 8X .....	<b>\$41.95</b>	2038 4X Stand .....	<b>\$56.95</b>
2044 8-16X Zoom .....	<b>\$199.95</b>		

**Eschenbach**

1153 8X Magnifier .....	<b>\$29.95</b>	2626 6X W.A. Loupe .....	<b>\$74.95</b>
1552 6X Lighted Loupe .....	<b>\$69.95</b>		

**Schneider**

4x .....	<b>\$109.95</b>	6x Asph .....	<b>\$199.95</b>
6x7 .....	<b>\$144.95</b>		

**Miscellaneous**

Pentax Photo Zoom 5-11x Loupe .....	<b>\$154.95</b>		
Pentax Photo Loupe 5.5x .....	<b>\$79.95</b>	Bestwell 10X Maxi-Loupe .....	<b>\$28.95</b>
Canon 4x .....	<b>\$129.95</b>	Canon 8x .....	<b>\$169.95</b>
Istov 4X APO .....	<b>\$49.95</b>	Wista 5x .....	<b>\$52.95</b>
7x Hood Type .....	<b>\$111.95</b>	Toyo Focusing Magnifier .....	<b>\$43.95</b>
Rodenstock 4x .....	<b>\$99.95</b>	Rodenstock 6x Aspherical Loupe .....	<b>\$219.95</b>

## Overhead &amp; Opaque Projectors

**Braun**

Paxiscopes Opaque #BRPXL .....	<b>\$419.95</b>
--------------------------------	-----------------

**Buhl**

Mark 4 Opus Opaque 4006 .....	<b>\$949.95</b>
-------------------------------	-----------------

**3M**

2000AG #3M2000AG .....	<b>\$289.95</b>
1810 #3M1810 .....	<b>\$279.95</b>
1865 #3M1865 .....	<b>\$449.95</b>
All 3M 9000 Series Projectors are designed for use with room lights on.	

## 35mm Projection Lenses

**Buhl Lenses**

For LCD Projectors .....	<b>CALL</b>
--------------------------	-------------

## Light Boxes

**Gepe Proslim Slide Viewers**

G2024 8x18" .....	<b>\$159.95</b>	G2025 12x18" .....	<b>\$204.95</b>
14x18" .....	<b>\$225.95</b>	14x24" .....	<b>\$279.95</b>

**Logan 5000°K**

Truview 2416 '2 ft. View Area' 16x24 .....	<b>\$189.95</b>
Truview 4816 '4 ft. View Area' 16x48 .....	<b>\$234.95</b>
Futura 1812 View Area 18x12" .....	<b>\$67.99</b>
810 View Area 8.75x11.5" .....	<b>\$53.95</b>
2020 Portable, View Area 12x17" .....	<b>\$109.95</b>
Daylite 501 5.5x9.5 Battery, AC .....	<b>\$47.95</b>
Slim Edge 4x5 A7A .....	<b>\$41.95</b>
Slim Edge 5x7 A6A w/AC Adapter .....	<b>\$61.95</b>
Slim Edge 8x10 A5A w/AC Adapter .....	<b>\$92.95</b>
Slim Edge 11.5x16 A3A .....	<b>\$194.95</b>

**Tundra**

Tundra 4x5 Light Box .....	<b>\$19.95</b>
Tundra 4x5 Light Box w/AC .....	<b>\$26.95</b>
Tundra 5x7 Light Box w/AC & Case .....	<b>\$29.95</b>
Tundra 8x10 Light Box .....	<b>\$39.95</b>
Tundra 8x10 Light Box w/AC .....	<b>\$49.95</b>
Tundra 8x10 Light Box w/AC & Case .....	<b>\$59.95</b>

**Visual-Plus AC Adapter Included**

Pro SV 450 (8 1/2x12) .....	<b>\$149.95</b>
-----------------------------	-----------------

**Porta-trace 5000°K**

TLP 5x7" .....	<b>\$29.95</b>
TLP 8.25x11.5" .....	<b>\$55.95</b>
6181C 6x18", 1-15 Watt Lamp .....	<b>\$64.49</b>
1012-2C 10x12", 2-8 Watt Lamps .....	<b>\$49.95</b>
1118-2C 11x18", 2-15 Watt Lamps .....	<b>\$89.95</b>
1618-3C 16x18", 3-15 Watt Lamps .....	<b>\$139.95</b>
1824-3C 18x24", 3-20 Watt Lamps .....	<b>\$219.95</b>
1824-4C 18x24", 4-20 Watt Lamps .....	<b>\$210.95</b>
Modular IVS 1648 16x48" 2-40 Watt .....	<b>\$319.95</b>
Modular IVS 1624 16x24 3-15 Watt .....	<b>\$224.95</b>
1118-2WC Solid Oak Frame .....	<b>\$129.95</b>
1214-2WC Solid Oak Frame .....	<b>\$79.95</b>
1618-3WC Solid Oak Frame .....	<b>\$159.95</b>
9x12 Slide Sorter (Holds 24 Slides) .....	<b>\$9.95</b>

**Just Smart Light 5000 Viewers**

2147 10x20 .....	<b>\$192.95</b>	8268 14x15 .....	<b>\$259.95</b>
8276 14x20 .....	<b>\$279.95</b>	12153 14x44 .....	<b>\$509.95</b>
12062 8x10" Mini Silver .....	<b>\$179.95</b>	2139 10x15 .....	<b>\$184.95</b>
21857 12x10 Mini .....	<b>\$239.95</b>	12104 12x19 Mini .....	<b>\$324.95</b>

**ClearOne.** Ken-A-Vision**FlexCam iCam Video Presentation Camera**

- NTSC • 20-Inch Flexible Gooseneck
- Image Device: 1/4-Inch CMOS CCD
- Lens 8.0 mm D-Mount • Number of Pixels 350,000 Pixels
- 330 Horizontal TV Lines of Resolution
- Field-of-View 37 Degrees
- Power Requirements 12 Volts DC from AC Adapter
- 8 X 4 X 11 inches • Weight 8 lbs.

#KEFCIC ..... \$249.95

**SAMSUNG** SDP-950DX**XGA Video Presenter**

- Compact & light presenter w/ professional 12X Optical Zoom lens
- XGA Resolution (1024 x 768) • White balance: Auto, manual
- 1/3" 850,000 Pixels (Progressive Scan) CCD • 15 Frames per sec.
- Image memory: Up to 8 images, with frame display (saved or live), image split, shift • Inputs: Two RGB (VGA), RS-232, mouse
- Outputs: Two RGB (VGA), component video, S-video, LCD, USB
- Remote Control • 9.9 lbs

#SASDP950DX ..... \$2,499.95

**ELMO** EV-4400AF**Visual Presenter**

- Capture documents up to 16.1 x 12.2"
- 1/3" IT CCD 410,000 pixels • 470 TV lines
- Digital image magnification and scrolling
- 18x optical zoom with Auto focus/Iris • Auto focus/Powered focus
- S-Video & Audio output • Internal/External (H & V) Sync.
- Built-in base light for transparency and 35mm slide viewing
- Weight 22.1 lbs.

#ELEV4400AF ..... \$1,749.95

**ELMO** P30**XGA Producer Visual Presenter**

- 850,000 pixel Progressive Scan CCD Camera
- True XGA (60Hz) Res. 1024 x 768
- 60x zoom focus 15x optical
- Free angle camera & lamp arms
- Live image capture w/ smooth 20 fps
- Split-Screen live video • AVI or WMV video format to PC thru USB
- SD Memory Card Slot w/ Image • DVI & RGB outputs • 10 lbs.

#ELP30 ..... \$1,849.95

**SAMSUNG** UF-80DX**Digital Presenter**

- NTSC • Image Device: 1/3" CCD • Lens 4.8 to 67.2 mm, f/1.0 to f/2.1
- 14x Optical Zoom with 3x Digital Zoom Multiplier
- Number of Pixels 850,000 Pixels • XGA 1024 x 768 Output
- 20 Frames per Second • Horizontal Field-of-View 55°
- Special Mini (x 1 output) • USB- RJ-45 (x 1 output)
- Mouse- 6-Pin GUI (x 1) • 100V - 240V AC, 50 or 60 Hz
- 15.9 x 19.2 x 19.8" • Wt. 11 Lbs.

#SAUF80DX ..... \$2,199.95

**SAMSUNG** SDP-950ST**Digital Visual Presenter**

- NTSC • Image Device 1/3-Inch CCD • Lens 6.3 to 75.6 mm, f/3.0
- 12x Optical Zoom • Number of Pixels 850,000 Pixels
- 350 Horizontal TV Lines of Resolution • Built-In Overhead and Underneath Lighting Built-In • Field-of-View 72° Horizontal
- 61° Vertical • LCD Monitor- 6-Pin (x 1 output)
- USB- RJ-45 (x 1) • Mouse- 6-Pin (x 1)
- 110 to 240 Volts AC, 50/60 Hz • 20 x 5.6 x 8 Inches

#SASDP950ST ..... \$2,279.95

**ELMO** HV-5100XG**High Resolution Visual Presenter**

- NTSC and PAL Systems • Image Device: 1/3-Inch CCD
- Lens 4.7 to 84.6 mm, f/2.8 18x Optical Zoom
- 805,000 Pixels • 400 Horizontal TV Lines of Resolution
- Built-In Overhead Lighting • USB- Type B
- Horizontal Field-of-View 52° • Mouse- 6-Pin
- 100 to 240 Volts AC, 50 or 60 Hz
- 27.4 x 21.3 x 21.9" • Weight: 21.6 Lbs.

#ELHV5100XG ..... \$2,099.95

**Canon** RE-455X**Video Visualizer**

- 12x power zoom with Preset Zoom button for A4 size
- CCD Size Pixels: 1/3" CCD
- Resolution: XGA output 520 x, 450 horizontal TV lines of resolution
- Lens: F=5.4mm-64.8mm F1.8-F2.8 10 element, 8 group design
- 1,024 pixels x Vertical 768 pixels • White Balance: Auto/manual
- Focus: Power auto/manual • Auto/manual Iris Control
- 6W fluorescent lamp x 2 • 100 to 240 Volts AC Weight: 9.4kg

#CARE455X ..... \$1,499.95

**ClearOne.** Ken-A-Vision**Flexible Gooseneck Document Camera**

- Image Device 1/4-Inch CCD • Lens 5.57.0 mm C-Mount
- Magnifications to 50:1 • 266,000 Pixels
- 330 Horizontal TV Lines of Resolution
- Built-in stereo microphones • NTSC and PAL
- Minimum Illumination 3 Lux Sensitivity
- Maximum Horizontal Field-of-View 42°
- Includes Power Supply

#KEFC ..... \$349.95

**ELMO** EV-200**Mobile Visual Presenter**

- 1/3" Interlin-transfer CCD image sensor
- F5.8, f=3mm Lens • 768 (H) x 494 (V) Res.
- Shooting area 14.3 x 10.7 - 7.0 x 5.3"
- NTSC, 470 TV lines of resolution
- Auto white balance & Fixed iris
- Focus Free • S-Video, C-Video • Weight 3.3 lbs.
- Dim. 14.2 x 11.2 x 6.3-11.2", folded: 2.3 x 11.1 x 6.3"

#ELEV200 ..... \$399.95

**ELMO** HV-110XG**Laptop-Size Digital Visual Presenter**

- Signal System: NTSC • Image Device: 1/3-Inch CCD
- Lens 3 mm, f/2.9 4x Digital Macro Zoom
- 872,000 Pixels 1024 x 768
- Field-of-View 58° H x 48° V
- Computer Signal Pass-Through
- Power Requirements 12-Volts DC
- 14.2 x 11.2 x 11.1 inches • Weight 3.3 Lbs.

#ELHV110XG ..... \$549.95

**SAMSUNG** SDP-850**XGA Video Presenter**

- 1024 x 768 (XGA)
- True 20fps, native XGA 1/3" 850,000 Pixel Progressive Scan CCD
- 42x powered auto focus, zoom lens - 14x optical plus continuous, 3x digital zoom • 270° rotation base & camera head
- Control zoom, auto/manual focus, automatic white balance, brightness & ± settings • Built-in Kensington port
- Adjustable LED lamp attached to arm with remote on/off

#SASDP850 ..... \$899.95

**ELMO** TT-02S**Visual Presenter**

- 1/3" progressive scan CCD 1024 (H) x 768 (V)
- Frame rate 20 frames
- Zoom Powered, 5.2X optical
- Lens F2.8 to 3.2, f=3.85 to 20.02 mm
- RGB output 600 (H) x 600 (V) TV lines of Resolution, Video output 400 (H) TV lines
- SD Card Slot, USB Port

#ELTT02S ..... \$599.95

**buhl** VP20M**Visual Presenter with Built-in Mic**

Provides images and microphone capabilities via a USB cable that plugs into your computer or RCA video connector. View, capture, edit, and share images.

- Flexible 20" neck and rugged sturdy base
- Head also rotates 180 degrees
- USB 2.0 Driver software for PC or Mac

#BUVP20M ..... \$299.95

For more install sound and portable PA products, please refer to our Pro Audio Catalog



## PA-285AV



### 5-Watt Portable Personal P.A. Speaker with Headset Microphone

Designed as an "in-the-field" personal monitoring solution with portable audio recording devices, the PA-285AV is also ideal for solving miniature PA issues for tours and guides.

- 5-watt 3.5" woofer
- On/Off, volume, and tone controls
- Light yet durable, weighing only 19 oz.
- Power on and charging LED indicators
- Recessed desktop tripod mount located on bottom of unit

#CAPA285AV ..... \$93.50

PA-282AV 2-watt version #CAPA282AV



## PB-25



### Battery-Powered Handheld Public Address System with Wired Microphone

The PB-25 Minivox PA system is a portable, battery-powered sound system weighing in at only 5.5 lbs., that runs for 24 hours on nine "C" cell alkaline batteries. It is equipped with a handheld microphone, a 1/4" Lo-Z mic input, and a 3.5mm line level input for CD & tape players.

- Ideal solution for tour guide and presentation use
- Lightweight and compact
- For crowds of 150
- 15-watt amplifier w/ 5" high-efficiency speaker
- VHS Wireless option available
- Frequency response: 100 Hz- 12 kHz
- 5.5lbs.

#ANPB25 ..... \$260.00

CC-25 opt. nylon carrying bag #ANCC25 ..... \$37.00



## APS 25



### Multi-Purpose/Multi-Function 2-Way Powered Speaker System

The versatile APS25B from Azden is a portable powered speaker system with 20 watts of power. It features the ability to operate with a rechargeable battery or AC power. You can use a wired microphone or add one or two wireless modules, making the APS25B a unique solution for presentations, meetings, and events.

- 20 watts from its 5.25" woofer and 1" tweeter
- For crowds up to 200 people
- 1/4" mic input, line level RCA I/O
- Optional VHF, UHF, and Infrared wireless modules
- Wall-mount bracket included
- 11.35 lbs.

#AZAPS25 ..... \$159.95



## AN-130



### Powered Two-Way Portable P.A. Speaker

At just 8.5 pounds, the AN-130 is the ideal PA solution for corporate presentations and lectures. Designed to cover up to 100 people, it features 30 watts of power, a magnetically-shielded 4.5" carbon fiber speaker, and a rugged injection-molded case.

- 30 watts of power from a 4.5" woofer and 1" dome tweeter
- 1/4" low-Z mic and line inputs/(2) RCA line level inputs
- Front-panel bass and treble tone controls
- 65Hz-18kHz frequency response
- 101dB max output
- 8.5 lbs.

#ANAN130BK ..... \$167.00

AN-130W white version #ANAN130



## BEA-6000



### Beacon Portable Line Array Sound System

The Beacon sound system is a lightweight portable speaker array with eight 4.5" mid-range speakers and three 8" woofers. It provides 120° of coverage at distances of up to 500', and is equipped with (2) universal Mic inputs and a "voice-over" music ducking function. The Beacon's durable case features both wheels and a retractable handle.

- Ideal solution for adding voice and music to presentations
- For crowds of 5000+
- (8) 4.5" mid-range speakers, (3) 8" woofers
- (2) XLR mic inputs, 1/4" line I/O, stereo RCA I/O
- Deploys to a height of 6ft.
- Built-in, voice-over music ducking
- True AC/DC-120/220V power supply

#ANBEA6000 ..... \$1,712.00

BEA-6000C same as above with a built-in CD player

#ANBEA6000C ..... \$1,880.00

BEA-6000U1 as above with a single UHF receiver

#ANBEA6000U1 ..... \$1,880.00

BEA-6000U2 same as above with two UHF receivers

#ANBEA6000U2 ..... \$2,048.00

BEA-6000CU1 same as above with single UHF receiver and CD player

#ANBEA6000CU1 ..... \$2,048.00

BEA-6000CU2 same as above with two UHF receivers and CD player

#ANBEA6000CU2 ..... \$2,216.00



## MACKIE. SRM-150



### 5" Compact Active PA System

The SRM150 is an extremely portable active loudspeaker system that features a built-in 3-channel mixer, and delivers 150 watts of high-output, Class-D power. Not only is it an excellent loudspeaker system for compact PA applications, but it also offers unparalleled performance as a personal monitor.

- Portable high-output, active loudspeaker system
- 3-channel mixer with 3-band active EQ
- Two high-headroom Mackie Mic/line preamps with 48V phantom power
- Dedicated stereo channel for keyboards, CD, MP3, iPods, etc.
- Complete system protection with built-in limiter

#MASRM150 ..... \$299.99



## PRA6000



### 5" Compact Active PA System

The PRA-6000 is a 50-watt, all-in-one battery powered PA system with an integrated CD player and tape recorder. Built into a rugged rolling case with a telescoping handle, it offers three microphone inputs and EQ controls. The cassette deck is capable of recording the performance/presentation as it happens.

- 3-channel, 50-watt system
- 8" woofer, 4" tweeter
- Built-in rechargeable battery
- Reach audiences of up to 500 people
- Wired handheld microphone included
- 35 lbs.

#OKPRA6000 ..... \$399.95

PRA-7000 100-watt, 10" woofer version with included handheld wireless system #OKPRA7000 ..... \$779.95





**MACKIE** SRM-350Free  
shipping**195-Watt Two-Way Bi-Amplified PA Speaker with 10" Woofer**

After the success of their larger SRM450, Mackie has decided to package the same well-built, high-fidelity design in a smaller enclosure. The unit packs a punch with almost 200 watts of power and an ultra-wide dispersion design that can fill a medium-sized room with near studio-quality sound. Their unique shape also allows them to be used as floor wedge monitors.

- 2-way active portable loudspeaker system
- Built-in 165W low-frequency and 30W high-frequency power amplifiers
- Both mic and line level inputs for maximum flexibility
- Rugged, lightweight, high-impact plastic enclosure
- Perfect for small nightclubs and houses of worship

#MASRM350 ..... \$549.99

**MACKIE** SRM-450**400-Watt Two-Way Bi-Amplified Powered PA Speaker with 12" Woofer**

The Mackie SRM450 is an active, 12" two-way loudspeaker suitable for sound reinforcement, portable PA, and floor monitor use. Its rugged ergonomic design, wide dispersion high-frequency horn, and 400-watt power capacity make the SRM450 a popular choice for a wide variety of live sound applications.

- 300-watt LF/100-watt HF power capacity
- 55Hz–18kHz frequency response
- Level Control, Contour and Low-cut switches
- Pole mount and multiple fly-point position options
- Balanced XLR Mic/Line input with Thru feature
- 51 lbs.

#MASRM450 ..... \$699.99

**YAMAHA** StagePas 300Free  
shipping**Portable P.A. System with Dual 8" 2-Way Speakers and 8-Channel Powered Mixer**

The self-contained, light-weight, Yamaha STAGEPAS 300 Portable PA System is the ideal presenter/musician travel companion.

It combines a removable 8-channel 150-watt stereo mixer, cabinets with 8" woofers, and 1" horns and low-noise mic/line inputs.

- (4) XLR mic and two stereo 1/4" phone/RCA line inputs
- 150 watts x 2 @ 6-ohms
- Built-in powered mixer can be used mounted on or off speaker cabinet
- Convenient speaker storage compartment for included power and speaker cable
- 40 lbs. (mixer and two speakers)

#YASP300 ..... \$549.00

**AV AMPLIVOX** SW223**Wireless Audio Portable P.A. System**

The AmpliVox SW223 Wireless Audio Portable Buddy is a portable, integrated public address (PA) system designed for use in classrooms, boardrooms and general presentation applications. This lightweight and portable system is designed to resemble a briefcase and features a hard-plastic shell, firm-grip handle, and shoulder strap. The SW223 weighs only 8 lbs (3.63 kg) with batteries installed.

- Suitcase style design for easy portability
- 50-watt amplifier covers up to 1,000 people
- Wireless handheld transmitter w/built-in receiver
- (3) microphone inputs, (1) Stereo line input
- Batteries allow for up to 200 hours of operation

#AMSW223 ..... \$519.95

**Passport Deluxe PD-150**Free  
shipping**150-Watt Portable Sound System**

The PD-150 is a completely self-contained, portable 150-watt PA system designed to provide audio for presentations, school programs, lectures, or any application requiring sound for up to 300 people. Its stereo powered amplifier and 4-channel mixer is protected from physical damage and the elements by a black luggage-style molded case, all under 28 lbs. in weight.

- 150 watts for up to 300 people
- 5.5" woofers and dual arrayed 2.75" tweeters per cabinet
- 4-input mixer (3) mic/line (1) mono/stereo
- P-51 mic with clip, cables, and carrying pouch
- Operates on AC or Passport DC power accessories

#FEPPD150 ..... \$489.99

PD-150 w/CD Player #FEPPD150P ..... \$599.99

**Passport Deluxe PD-250**Free  
shipping**250-Watt Portable Sound System**

The Passport P-250 was the first of its kind, a portable PA that offers 250 watts of stereo power, a 6-channel mixer with digital effects, and a patented snap-together luggage style case that protects the internal components during travel. Ideal for any application where your message has to be heard, the new Deluxe PD-250 can operate on either AC or Passport DC power.

- 250 watts with (4) 6" full range drivers per cabinet
- 6-input mixer (4) mic/line and (2) mono/stereo
- Covers up to 500 people
- (2) P-51 microphones with accessories
- Built-in docking connector for wireless receiver
- Operates on AC or DC Passport power

#FEPPD250 ..... \$699.99

PD-250 w/CD Player #FEPPD250P ..... \$849.99

**Escort****Portable Sound System with Stand**

The Peavey Escort is a completely self-contained portable PA system that features both a handle and wheels, allowing it to be transported like carry-on luggage. Ideal for presentations and smaller musical performances, the system comes complete with connecting cables, speaker/mixer stands and a PVI dynamic microphone with cable.

- 5-channel, 150-watt portable PA system with dual 10" speakers and built-in effects
- (4) XLR inputs with 15V phantom power, (2) stereo line-level inputs
- 5-band graphic EQ with Feedback Locating System
- Each input has bass, treble, and reverb controls
- 80 lbs.

#PEESCORT ..... \$649.95

**EON15BAG-W, EON15BAG-1, EON10BAG-1****Speaker Bag for JBL EON Speakers**

These JBL EON bags will protect your investments during transport both to and from the gig. They feature heavy-duty zippers and a plush lining to prevent scratching, and the tough nylon outer will provide years of faithful service. All sizes fit snugly for a positive feel when in use, and the wheeled 15" model features a handy side pocket for cables and power cords.

- Heavy-duty zippers
- Plush interior lining
- Durable outer material
- Snug custom-fit

Fits 15" Wheeled #JBEON15BW ..... \$104.95

Fits 15" #JBEON15B ..... \$53.95

Fits 10" #JBEON10B ..... \$44.95



**SENNHEISER** E815S

E815S

E835

**Cardioid Handheld Dynamic Vocal Microphone**

The e815S is a cost-effective stage microphone that features an on/off switch that can be locked in the "on" position if necessary and its cardioid pickup pattern helps insulate against other on-stage signals. The implemented hum compensating coil reduces electrical interference and the shock-mounted capsule features low sensitivity to impact and handling noise.

- Dynamic cardioid vocal mic with on/off switch
- 80Hz-12kHz frequency response • Made in Germany

#SEE815SC ..... \$49.99

The e835 features an extended 40Hz-16kHz frequency response and gentle presence boost to ensure clarity.

#SEE835 ..... \$99.99

**SHURE** SM58-LC

SM58-LC

PG58-XLR

**Cardioid Handheld Dynamic Microphone**

This is the same legendary microphone that has graced thousands of stages worldwide since 1966. It is well built to withstand years of abuse and its smooth tailored response is perfect for both singing and speech. The SM58 is the benchmark that most dynamic handhelds are compared to and Shure has increased its intelligibility with a brightened midrange and bass rolloff.

- Dynamic cardioid vocal mic • Proven roadworthiness
- Internal shock-mount • 50Hz to 15kHz freq. resp.

#SHSM58LC ..... \$99.00

The PG58-XLR represents a great choice for anyone seeking a quality stage microphone at a modest price

and it comes with its own 15ft. XLR cable and clip

#SHPG58XLR ..... \$59.00

**Revolabs**

#RESDTCS

**Wireless Microphone Systems**

Are you looking for a simple solution to record audio direct to computer for podcasts? Or, perhaps you are looking for a reliable wireless audio system/interface for conferencing or VOIP applications. The Revolabs Solo Desktop Lapel Microphone System is designed for just these types of jobs. This rechargeable wireless microphone system combines the advanced audio capabilities of full duplex, wideband quality with secure encryption in an innovative, wearable form factor. The system is available with various microphone options including: a lavalier system, 2 different boundary mic systems, and a XLR plug-in transmitter that will convert a standard mic to a wireless mic. The base provides a USB connection for interfacing your PC and act as a charger for the microphone.

xTag Lapel Microphone System ideal for Webconferencing, Podcasting, Skype and more

#REXTLS ..... \$249.99

Solo Desktop Lapel Microphone System #RESDTLS ..... \$494.95

Cardioid Desktop Boundary Microphone System #RESDTCS ..... \$494.95

Omnidirectional Desktop Boundary Microphone System #RESDTOS ..... \$494.95

**SHURE** Performance Gear Series

A

B

C

**Performance Gear Wireless Systems**

The Performance Gear line represents an excellent first step into professional wireless backed by Shure's many years of experience in the field.

**A. Wireless Instrument System: Includes:** WA302 1/4" Phone Instrument Cable

H7 / 536 - 548 MHz #SHPG14H7 ..... \$299.00

K7 / 590 - 602 MHz #SHPG14K7 ..... \$299.00

M7 / 662 - 674 MHz #SHPG14M7 ..... \$299.00

**B. Wireless Headworn Microphone System: Includes:** PG30 Headworn Microphone

H7 / 536 - 548 MHz #SHPG14PG30H7 ..... \$299.00

K7 / 590 - 602 MHz #SHPG14PG30K7 ..... \$299.00

M7 / 662 - 674 MHz #SHPG14PG30M7 ..... \$299.00

**C. Wireless Lavalier Microphone System: Includes:** PG185 Lavalier Microphone

H7 / 536 - 548 MHz #SHPG14PG185H ..... \$299.00

K7 / 590 - 602 MHz #SHPG14PG185K ..... \$299.00

M7 / 662 - 674 MHz #SHPG14PG185M ..... \$299.00

**audio-technica** ATW-701ATW-R700  
receiverATW-T701  
transmitterPro 8 HECW  
headset**Wireless BodyPack Microphone System**

Audio-Technica's 700 Series Freeway wireless delivers professional features and sound quality unheard of in its class. These easy-to-use wireless systems feature eight selectable frequency-coordinated channels, diversity operation for increased range/reliability, automatic frequency scanning, Tone Lock squelch, and more. 700 Series Freeway systems come equipped with your choice of handheld, headworn, or lavalier microphones; or choose a system designed for guitar hookup. For multiple-mic applications, as many as eight systems may be used together.

- 8 selectable frequency-coordinated UHF channels

- Automatic frequency scanning

- Balanced XLR and unbalanced 1/4" output connectors

ATW-R700 receiver and ATW-T701 UniPak transmitter #AUATW701 ..... \$209.95

Guitar/Instrument system #AUATW701G ..... \$229.95

Lavalier microphone system #AUATW701L ..... \$249.95

Headworn microphone system #AUATW701H ..... \$289.95

## iKEY-AUDIO iKey

**Portable USB Recorder with Lexar 1GB JumpDrive Firefly Kit**


The I-Key Plus is a portable USB recorder designed to record directly to any external USB storage device, including the Apple iPod. Digital audio is recorded in uncompressed WAV or MP3 format (with selectable bit rate, up to 256kbps.) It is equipped with a line/phono/mic input, a headphone jack for real-time monitoring, a built-in phono preamp and a 6-bar VU meter with peak hold & overload indicator.

- Records audio to uncompressed WAV or MP3 format
- Compatible with USB storage devices, including the iPod
- LED indicator shows memory remaining on target drive

#IKIKEY1GBK ..... \$89.95

On-Stage  
Stands

## MY-100, MY-200

**Microphone Clips****MY-100**

This unbreakable heavy-duty rubber mic clip is a simple and effective way to mount your dynamic handheld microphone securely.

**MY-200**

The MY200 is a spring-loaded clothes-pin style microphone clip that works well with a variety of handheld microphones.

#ONMY100 ..... \$4.95

#ONMY200 ..... \$4.95



## ENS-6000

**Portable Tabletop Lectern**

The ENS-6000 portable tabletop lectern sound system is the perfect solution if you are looking for a very full-featured yet compact presentation solution. It is housed in a durable polyethylene case and is quick and simple to set up and operate. This unit will run both on AC and DC, comes with a 110/220V power supply and, can be fully recharged in an hour.

- Portable AC or DC powered lectern
- Reach crowds of up to 400
- Output distortion limiter
- Dual 4.5" neodymium speakers
- LED displays for battery level

#ANENS6000 ..... \$896.00



## Power Plus 111PLS

**Lectern (Medium Oak Laminate Finish)**

The Oklahoma 111PLS combines elegant styling with well-designed features to provide a powered lectern that will cover mid-sized audiences of up to 900 people. This popular model delivers 30 watts through four 8" speakers and its control panel provides both microphone and line level inputs. This unit is wireless ready and works with optional Oklahoma transmitters.

- 30-watt powered lectern
- Includes handheld and lavalier microphones
- Full array of multimedia functions
- Extension output with tone control
- 57 lbs.

#OK111PLSMO ..... \$434.95

On-Stage  
Stands

## SS-7730, SS-8800, SS-B6500

**Steel Speaker Stands**

The Onstage SS7730 and SS8800 speaker stands feature a steel-aluminum design that makes them both lightweight and durable. Use either the 1-3/8" diameter upper shaft or the included 1-1/2" adapter sleeve for the 7730 to get a universal fit. The 8800 features a Crank-Up system that allows you to raise or lower your speaker cabinets using either the removable manual handle or your own power drill.

- Applications: 7730 mid-size speakers, 8800 smaller speakers
- Shaft Size: 7730 1-3/8" or 1-1/2", 8800 1-3/8"
- Capacity: 7730 160 lbs., 8800 80 lbs.
- Height: 7730 44"-80", 8800 47"-80"

#ONSS7730 ..... \$49.95

#ONSS8800BP ..... \$94.95

#ONSSB6500 ..... \$24.95

On-Stage  
Stands

## MS7201B, DS7200B, MS7701B

**Microphone Stands**

**MS7201B:** This straight microphone stand features a 7 lb. sand-cast base and is sturdy enough for road abuse yet light enough to carry. Adjustable from 33" to 60" in height.

Height: 34 - 60" (Black) #ONMS7201B ..... \$19.95

**DS7200B:** The DS7200B is an adjustable desk stand with a die-cast steel clutch and has a base diameter of 6". Its adjustable height is 9" to 13".

Height: 9 - 13" (Black) #ONDS7200B ..... \$11.95

**MS7701B:** The MS7701B is made from hybrid sheet metal and has composite leg housing, making it unbreakable. A removable 30" boom arm and its ability to fold flat make this stand a must for every member of the band. Height adjustable from 36" to 63".

Boom Length: 30" (Black) #ONMS7701B ..... \$29.95



## SPKR1

**Speaker Bag**

The SPKR1 protects your speakers with reinforced bag corners, has a retractable pull handle, and features interior and exterior pockets.

#SKSPKR1 ..... \$99.99



## GPA-600, GPA-700

**Gator Rolling Speaker Bags**

The rolling GPA-600 Denier nylon speaker bag is designed to fit the Mackie SRM350, JBL Eon 10 and EV SX100 while the GPA-700 fits most popular molded speaker cabinets.

#GAGPA600 ..... \$89.99

#GAGPA700 ..... \$99.99



## 70MO, 75MW

**Adjustable Lecterns**

This adjustable lectern is a simple and convenient speaking tool that features continuous adjustability and a generous paper/book stop. Easily stowed away when not in use, this model features the same steel frame construction of Oklahoma's more intricate designs. Perfect for quick and easy setups or where space is a concern.

- Adjustable medium oak-finished lectern
- Durable 5/8" PVC molded edges
- Adjustable from 30" to 44"
- Reading surface is 16" x 20"
- 19 lbs.

Medium-Oak/Laminate #OK70MO ..... \$59.95

Mahogany-Walnut Veneer, Adjustable, Cup-Holder, Casters #OK75MW ..... \$109.95



## Distributed Sound Systems

Conference rooms, classrooms, restaurants, office buildings, and other commercial facilities use "Distributed Sound Systems" as an efficient means to distribute sound. These systems are commonly referred to as constant voltage (CV) systems or 70-volt transformer systems. What differentiates a "70-volt" from a standard PA system is that transformers are built into the speakers, and special amplifiers are used to power the speakers properly.

### Why use a "70-volt" system?

- Very easy to design
- Economical
- Large numbers of speakers to be chained together in parallel
- Speakers can easily be added and removed
- No need to calculate impedance- just total power
- Higher voltage allows use of smaller gauge wire

### Distributed Sound Systems are made up of the following Components:

- 1. Source Components** - CD players, Tape decks, Tuners, MP3 players, etc.
- 2. Mixer & Amplifier** - These provide input selection, signal control, and the power to drive speakers
- 3. Speakers** - Two types of speakers are commonly used for fixed installations: Surface-Mount (external) & Ceiling-Mount (internal)
- 4. Speaker Wire** - Most installations use 18 gauge, two-conductor, stranded, jacketed wire. (There is no need for a shield)
- 5. Wall-Mounted Volume Controls (Optional)** - Allows users to remotely control volume



## DENON DN-C615



### Professional CD and CD-R/RW Player with MP3 Decoder

The DN-C615 is an affordable single-tray CD player with a host of features normally found on much higher-priced units. Ideal solution for schools, churches, small radio stations, and small venues. • Low cost professional CD player with Instant Start • Coaxial S/PDIF output • 2U rack-mount chassis • CD-R/RW/MP3 Playback compatibility • Pitch control  $\pm 12\%$

#DEDNC615 ..... \$299.00

## DENON DCM-290P



### Rack-Mountable 5-Disc Automatic CD Changer

The Denon DCM-290P is a high-performance, rack-mountable 5-disc carousel CD changer that is MP3/WMA compatible, allowing you to play CD-R/RW discs in addition to regular audio CD's. Other features include intelligent disc scan and a 20-selection music calendar display. • Advanced Multi-Level Noise Shaping DAC • 8-Times Oversampling Digital Filter • Features 3-Mode Random Playback • Intelligent Disc Scan saves selection time

#DEDCM290P ..... \$289.00

## ALESIS iMultiMix 9R



### 9-Channel Rackmount Audio Mixer with iPod Dock

The iMultiMix 9R is a one-of-a-kind, rack-mounted tool for mixing and playback directly from an iPod. It also includes video output which makes it ideal for use in nearly any venue as the perfect audio and video playback device.

- Integrated Universal Dock for iPod • (5) High-gain XLR and 1/4" balanced mic/line preamps
- 48V phantom power • Three band EQ with High/low shelving and band pass/reject

#ALIMM9R ..... \$299.00

## TASCAM CD-160mkII



### Professional Single-Disc CD Player with MP3 Playback

The CD-160MKII is an affordable rack mount CD player designed for studios and system installations. It features S/PDIF digital output, pitch control and a front-panel number pad for accessing track numbers.

- 2U rack mount CD player • Auto Cue to first audio in track
- Headphone output with level control • RC-150C wireless remote included

#TACD160MK2 ..... \$299.00

## Australian Monitor BGM2-TC2D



### Single Rack AM/FM Tuner and Single-Disc CD/MP3 Player

With individual stereo outputs for both the Tuner and the CD/MP3 player and a stereo priority output, the BGM2-TC2D is a well-featured and space-saving dual music source. The tuner module has separate AM and FM bands and the CD/MP3 player can be programmed up to 20 tracks.

- Single Rack-Space Design • Tuner Sleep Function and CD Repeat modes
- 10 Selectable Presets for Tuner

#AUBGM2TCD ..... \$419.95

## ROLLS RS80



### Quartz PLL Synthesized AM/FM Tuner

The Rolls RS80 is a rack-mountable quartz PLL synthesized AM/FM tuner ideal for situations where reliability and sound quality are of the utmost importance. This unit is usable worldwide, thanks to programmable 9-10kHz AM centers switching.

- Single rack space steel construction • Up to 40 AM/FM presets
- Auto search and store function • Switchable between 120 and 230 volts

#RORS80 ..... \$259.95



For more install sound products, please refer to our Pro Audio Catalog

**AT2300P**



**Professional Pre-Amplifier/Tuner**

The new AT-2300P Professional pre-amplifier is easy to operate and features 6 stereo digital inputs plus 6 stereo analog inputs with a 40-station digital AM/FM tuner. Input/output assignments are easily setup for commercial PA applications.

- 2.1 stereo and subwoofer processing
- High quality AM/FM tuner
- 3 professional microphone inputs
- Digital reverb and delay are user adjustable

#AUAT2300P ..... \$598.00

**ROLLS** RM67



**6 Channel Rackmountable Mic/Source Mixer**

The RM67 is a versatile single rack space audio mixer that is ideal for paging and music with its convenient talkover feature. A remote volume jack allows external control, making it perfect for karaoke bars, aerobic studios, clubs and restaurants, or audio/visual presentations.

- (3) XLR mic inputs with phantom power
- (4) stereo RCA inputs
- Pre-master mix output record capability
- Mic inserts for processing mic inputs

#RORM67 ..... \$199.95

**ROLLS** MX152



**MixMate Compact Microphone and Line Level Audio Mixer**

The MX152 is a compact mic/line mixer that provides an efficient way to easily mix sources such as CD players, AM/FM tuners, video players and dynamic or condenser microphones. It features two XLR mic inputs with phantom power and three stereo line source inputs.

- Individual level controls for each input
- Tone controls for each mic input
- Main outputs on RCA connectors
- Phantom power and ducking

#ROMX152 ..... \$109.95

**BEHRINGER®** RX-1202FX



**Rack Mount 12-Channel Line and Microphone Mixer with Effects**

The Behringer RX-1202FX is a compact, 19-inch rack mountable audio mixer with eight mono and two stereo channels, for a total of twelve input channels. An ideal choice for installations.

- 8 mono XLR/Phone inputs and CTR Room outputs
- 2 stereo input channels
- Inserts on channels 1 through 8
- On-board effects processor for reverb and delay

#BERX1202FX ..... \$199.99

**BEHRINGER®** MX882



**ULTRALINK PRO 8 Channel Microphone Splitter and Mixer with Level Conversion**

The Behringer MX882 Splitter/Mixer boasts a variety of flexible features making the unit flexible enough for use in theaters, conference rooms, houses of worship, and Live Sound Reinforcement.

- Servo Balanced inputs and outputs use as a DI-Box
- Unbalanced/balanced conversion
- Gold plated balanced connectors

#BEMX882 ..... \$99.99

**SAMSON** S-zone



**4 zone stereo mixer**

The S-Zone gives system installers all the features they need to control up to four zones of audio with a compact, single-rack space unit. The unique front panel control section allows you to assign any of the four inputs to any of the four zones with just the push of a button.

- 4 channel / 4 zone stereo mixer
- 2 mic/stereo line inputs with ducking
- 2-band EQ
- Remote volume control
- 2 stereo CD/line inputs
- Euroblock output connectors

#SASZONE ..... \$349.00

**ROLLS** RM68



**"Zone Wolf" 2-Zone Stereo Mixer**

The RM68 is a versatile 9-input dual-zone mixer designed for restaurants, hotels, schools, churches—even factories—with its first mic input featuring a talk-over function.

- 3 XLR inputs and 6 RCA line-level inputs
- Level control on every channel
- 1/4" remote volume jack
- Two zone capability

#RORM68 ..... \$279.95

**ART** AR405

APPLIED RESEARCH AND TECHNOLOGY



**5 Channel Zone Distribution Mixer**

The ART 405 is a rack-mountable, 5-channel audio distribution system that enables 2 input sources to be mixed and routed to any or all 5 zones. The input section features 2 stereo paired XLR female connectors and is capable of stereo or mono zone distribution.

#AR405 ..... \$169.00

6 Channel Rackmount Microphone and Stereo Line Mixer #AR416 ..... \$129.00

8 Channel Rackmount Microphone and Stereo Line Mixer #AR418 ..... \$169.00

**RANE** MLM82A



**8 Channel Rackmountable Mic/Line Mixer**

The Rane MLM82A mixer is convenient as it is cost effective and flexible. The mixer features 4 balanced XLR Mic / Line level (switchable) inputs and 4 stereo paired 1/4" TRS phone balanced line inputs.

- Channels 1 through 4 deliver phantom power
- Can operate in mono or stereo modes

#RAMLM82A ..... \$419.00

**CROWN** 14M



**Rack-Mountable 4 x 1 Preamplifier/Mixer**

The 14M, part of the Commercial Audio Series from Crown Audio, is a rack-mountable preamplifier/mixer ideal for use in factories, schools, hospitals, restaurants, offices, and other venues. A built-in tone generator provides bell, pre-announce chime, alert, and evacuate tones.

- 4 inputs with stereo RCA jacks and balanced phoenix-type connectors
- Priority muting for paging
- Phantom power
- Level, bass, and treble controls for each input

#CR14M ..... \$294.00

Rack-Mountable 8 x 2 Preamplifier/Mixer #CR28M ..... \$405.00

For more install sound products, please refer to our Pro Audio Catalog



## TOA Electronics A-706



### 9-Channel, 60 Watt Mixer/Amplifier

The A-706 is 9-channel, 60-watt mixer/amplifier for paging and background music in schools, restaurants, lounges and other similar venues. Auto-mute provides voice-activated priority muting, selectable via rear-panel switches.

- High-quality design and build with customizable inputs • Overheating and short protection

#TOA706 ..... \$597.00

9-Channel, 120 Watt Mixer/Amplifier #TOA712 ..... \$676.50

9-Channel, 240 Watt Mixer/Amplifier #TOA724 ..... \$907.50



## Electro-Voice® MA-Series



### 12-Input Mixer / Amplifier (60 Watts)

The MA-1206 is a 60-watt mixer/amplifier with 12 inputs and a telephone paging port. Screw terminal outputs are available for 25V, 70V, and 100V distribution systems, as well as 4-ohm loads.

- 60-watts of power • Bass and treble EQ controls
- 2 Auxiliary inputs • Rack mount or tabletop design

#ELMA1206 ..... \$369.95

12-Input Mixer / Amplifier (120 Watts) #ELMA1212 ..... \$495.00

6-Input Mixer / Amplifier (60 Watts) #ELMA606 ..... \$309.95



## RA2100b



### Stereo Power Amplifier

The RA2100b is an inexpensive 200-watt installation amplifier built to drive 4- or 8-ohms speakers and 25-70V systems. A one second turn-on delay protects against transient spikes.

- MOSFET drivers in a voltage and current gain circuit
- Convection cooled for reduced operating noise

#RORA2100B ..... \$288.95

Mono Power Amplifier #RORA170 ..... \$187.50

## BEHRINGER® EP2500



### 2-Channel Rackmount Power Amplifier (450W Per Channel at 8 Ohms)

The EP2500 is an inexpensive 2-channel power amplifier designed to deliver up to 2400-watts of power. It features independent limiters, overload protection and high-power resistors.

- Designed for installs in small to midsized venues • Auto-adjusting vari-speed fan

#BEEP2500 ..... \$349.99

2-Channel Rackmount Power Amplifier (260W Per Channel at 8 Ohms) #BEEP1500 ..... \$299.99



## 660A



### 6-Channel, 6 x 60W Amplifier

The 660A from Crown Audio is a 6-channel, 6 x 60W amplifier designed for commercial and industrial audio, and is part of Crown's Commercial Audio Series of products.

- Six inputs and six 60W amplifiers for multi-zone systems
- Output current limiting and DC and thermal protection

#CR660A ..... \$1,389.00



## CP700



### Rack Mount Dual-Channel Commercial Amplifier

The Atlas CP700 is the perfect choice for distributed paging/BGM systems, theaters, portable sound systems, and anywhere clean high-fi fidelity audio amplification is needed.

- 350 Watts/ch. (@70.7V) • 30-position stepped rear input gain controls • Auto fan cooled
- Terminal block and XLR inputs • Short circuit, thermal, and DC offset protection

#ATCP700 ..... \$554.95



## Commercial Audio Series



### 4-Input, 80W Mixer/Amplifier

These high-quality mixer/amplifiers provide 4-ohm and constant-voltage outputs (70/100V). Inputs can be sent to any outputs and are protected with advanced output current limiting, DC protection, circuit breaker/fuse, and thermal protection.

- Ideal for commercial and industrial use • Touch-proofed screw-terminal speaker outputs
- Provides 4-ohm and constant-voltage outputs for 70/100V outputs
- Blue signal, green presence and red clip LED indicators, Master Output control

#CR180MA ..... \$415.00

8-Input, 2 x 80W Mixer/Amplifier #CR280MA ..... \$600.00

4-Input, 160W Mixer/Amplifier #CR1160MA ..... \$532.00



## TRA-Series



### Rackmount Stereo Power Amplifier with 70V/100V Transformer

The Ashly TRA-2075 is a 2-channel convection-cooled rackmount P.A. or installation power amplifier housed in a rugged 2RU metal chassis, offering an output of 40W per side at 8 Ohms.

#ASTRA2075 ..... \$630.00

Rackmount Stereo Power Amplifier with 70V/100V Transformer #ASTRA2150 ..... \$715.00

Rackmount 4-Channel Power Amplifier with 70V/100V Transformer #ASTRA4075 ..... \$830.00

Rackmount 4-Channel Power Amplifier with 70V/100V Transformer #ASTRA4150 ..... \$900.00



## TOA Electronics DA-250FH



### Four-Channel Digital Amplifier

The DA-250FH from TOA Electronics is a high-quality, rack mountable four-channel digital amplifier. Designed for highly efficient operation, the DA-250FH outputs 250W per channel.

- Lightweight single rack space unit
- Built-in limiter and high pass filter
- Low heat dissipation and power consumption

#TODA250FH ..... \$1,329.00



## Servo Series



### Samson Servo 120 Stereo Amplifier

The Servo 120 stereo power amplifier can be used for all types of recording applications, live performance or permanent installs and delivers "reference-class" audio performance.

#SASA120A ..... \$159.00

SERVO 200 Stereo Power Amplifier #SASA200 ..... \$169.00

SERVO 300 Stereo Power Amplifier #SASA300 ..... \$198.95

SERVO 600 Rack Mountable Power Amplifier #SASA600 ..... \$279.00

For more install sound products, please refer to our Pro Audio Catalog



## TOA Electronics F-2352C



### 5" Co-axial Ceiling Speaker

TOA Electronic's F-2352C 5" Co-axial Ceiling Speaker is a powerful ported bass-reflex designed speaker featuring a special diffuser for off-axis high-frequency response and wide-dispersion for music and paging applications.

- Low-profile, paintable grille
- Wide dispersion area
- Selectable 70V transformer
- 8/16 ohm direct modes
- Includes safety wire

#TOF2352C ..... \$108.00

6.5" 60 Watt Coaxial Ceiling Speaker #TOF2852C ..... \$142.50



## TOA Electronics H1



### H-Series 2-Way Interior Design Speaker

TOA Electronic's H1 H-Series 2-Way Interior Design Speaker is a stylish speaker meant to provide an alternative to traditional wall- and ceiling-mount speakers. For use in a variety of facilities, the H1 is a powerful 2-way speaker uniquely designed to minimize soundwave reflection for superior sound.

- Minimum reflection design
- Built-in overload protection
- Removable terminal block
- Supports 70V operation

#TOH1 ..... \$124.50



## Evid Ceiling Speakers



### Coaxial Ceiling Speakers with Integrated Line-Matching Transformer

The Electro-Voice EVID C4.2 is a compact, low-profile 4" coaxial installation speaker that is appropriate for both background music and paging applications

- Front baffle wattage selector switch
- Steel grille cover with safety tether

#ELC42 ..... \$164.95

8" Coaxial Low-Profile Ceiling Speaker #ELC82LP ..... \$228.95

8" Coaxial Ceiling Mount Speaker #ELC82 ..... \$228.95

10" Installation Ceiling Subwoofer #ELC101 ..... \$314.95



## Surface-Mount Speakers w/70v Transformers



### 2-Way Installation Speakers

The EVID features a durable ABS enclosure with a zinc-coated steel grill to protect all internal components.

EVID 3.2T 2-Way 150-Watt..... #ELE32T ..... \$220.00

EVID 3.2TW 2-Way 150-Watt white #ELE32TW ..... \$220.00

EVID 4.2T 2-Way 200-Watt 70V/100V Transformer-Isolated #ELE42T ... \$290.00

EVID 4.2TW 2-Way 200-Watt 70V/100V Transformer-Isolated white #ELE42TW ..... \$290.00

EVID 6.2T 2-Way 300-Watt #ELE62T ..... \$490.00

EVID 6.2TW 2-Way 300-Watt white #ELE62TW ..... \$490.00

EVID 12.1P 300 Watt Active Subwoofer #ELE121P ..... \$639.00



## Control Contractor Series



Control 24 CMI Two Way Ceiling Speaker w/ 4" Woofer

#JBC24CM ..... \$105.95

Control 24 CT MicroTwo Way Ceiling Speaker w/ 4" Woofer

#JBC24CTM ..... \$112.95

Control 26C Two Way Ceiling Speaker w/ 6.5" Woofer

#JBC26C ..... \$209.50

Control 26T Two Way Vented Ceiling Speaker w/ 6.5" Woofer

#JBC26CT ..... \$237.95

Control 24T 2-Way Indoor/Outdoor Monitor w/ 3.5" Woofer

JBC23TB ..... \$174.95

Control 23T/white 2-Way Indoor/Outdoor Monitor w/ 3.5" Woofer

#JBC23TW ..... \$176.95



## Control Contractor Surface-Mount Speakers



Control 23T 3.5 inch, 2-way system with 70V/100V transformer

#JBC23TB ..... \$194.95

Control 23 3.5 inch, 2-way surface mount speaker system

#JBC23B ..... \$169.95

Control 25T 5.25 inch, 2-way system with 70V/100V transformer

#JBC25TB ..... \$259.95

Control 25 5.25 inch, 2-way surface mount speaker system

#JBC25B ..... \$239.50

Control 28T-60 8 inch, 2-way system with 70V/100V transformer

#JBC28T60B ..... \$409.95

Control 28 8 inch, 2-way surface mount speaker system

#JBC28B ..... \$382.95



## FAP-Series



The FAP series of high performance ceiling mount speakers offers a one-piece, quick mountable installation solution for almost any location. Their tuned/ported housings are lightweight for diminished ceiling stress and their low profile is especially suited for shallower locations.

FAP42TC 4" 70V/100V Coaxial Low Profile Ceiling Speaker

#ATFAP42TC ..... \$118.95

FAP42T 4" 70V/100V 2-Way Weather Resistant Ceiling Speaker

#ATFAP42T ..... \$118.95

FAP40T 4" Starategy Series Ceiling Speaker System

#ATFAP40T ..... \$89.95



## SM-Series



### 2-Way Weather Resistant Speaker System

The SM82 is a 150W indoor outdoor speaker system with an 8" woofer and a 1" Ferrofluid cooled tweeter.

White #ATSM82W ..... \$159.95

Black #ATSM82B ..... \$159.95

The SM52 is 100W with a 5.25" woofer and 1" tweeter.

White #ATSM52W ..... \$178.95

Black #ATSM52B ..... \$178.95

T versions include an internally mounted 60W 70.7V/100V transformer with adjustable taps for distributed sound use

#ATSM82TB ..... \$294.00

#ATSM52TB ..... \$294.00



## Wall-Mounted Volume Controls



For systems requiring local area volume control the AudioTrak VC series presents itself as an outstanding choice.

#AUVC27B ..... \$24.30

#AUVC35B ..... \$27.90

#AUVC75B ..... \$37.90



## Speaker Selections



### Impedance Matching Speaker Selectors

AudioTrak Professional Series Speaker Selectors are available in four, six and twelve-pair configurations. Every autoformer is precision wound and only the best associated components are selected. Transparent audio performance, high reliability, high power handling and minimal loss are standard.

#AUSSR4 ..... \$119.00

#AUSSA6 ..... \$199.00

#AUSSA12 ..... \$325.00

#AU10V400 ..... \$219.00

#AU10V600 ..... \$279.00

## WEST PENN WIRE Speaker Wires



18 Gauge Speaker Wire (1000 FT) #WE2241000 ..... \$117.95

18 Gauge Plenum Speaker Wire (1000 FT) #WEPSC181000 ..... \$137.95